INDEX TO AUTHORS

A

Acs, G. See Wiesner, Acs, Reich, and Shafiq, 47
Alexander, K. D. See Miller, Hale, and Alexander, 305
Aloisi, Massimo. See Muscatello, Margreth, and Aloisi, 1

B

Baglio, Corrado M., and Farber, Emmanuel. Reversal by adenine of the ethionine-induced lipid accumulation in the endoplasmic reticulum of the rat liver. A preliminary report, 591
Barber, Albert A., Harris, Warren W., and Padilla, George M. Studies of native glycogen isolated from synchronized *Tetrahymena pyriformis* (HSM), 281
Bassel, Alix. See Hotta, Bassel, and Stern, 451
Bassett, Bruce E., and Packer, Lester. Response of isolated lysosomes to vitamin A, 448
Beidler, Lloyd M., and Smallman, Ronald L. Renewal of cells within taste buds, 263
Benditt, Earl P. See Ross and Benditt, 83
Bonnett, Howard T., Jr., and Newcomb, Eldon H. Polyribosomes and cisternal accumulations in root cells of radish, 423
—. See Newcomb and Bonnett, 575
Brewer, E. N. See Cummins, Brewer, and Rusch, 337
Brinkley, B. R. The fine structure of the nucleolus in mitotic divisions of Chinese hamster cells *in vitro*, 411
Burde, Ronald M. See Sedar and Burde, 53

C

Carlsen, Frits, Fuchs, Franklin, and Knappeis, Gustav G. Contractility and ultrastructure in glycerol-extracted muscle fibers. I. The relationship of contractility to sarcomere length, 25
—, —, and —. —. II. Ultrastructure in resting and shortened fibers, 35
Childers, Lillian. See Lamm, Childers, and Wolf, 313
Cummins, J. E., Brewer, E. N., and Rusch, H. P. The effect of actidione on mitosis in the slime mold *Physarum polycephalum*, 337

D

Daniel, Wendell A. See Mattern, Park, and Daniel, 621
Dasdia, T. See Di Marco, Silvestrini, Di Marco, and Dasdia, 545
Di Marco, A., Silvestrini, R., Di Marco, S., and Dasdia, T. Inhibiting effect of the new cytotoxic antibiotic Daunomycin on nucleic acids and mitotic activity of HeLa cells, 545
Di Marco, S. See Di Marco, Silvestrini, Di Marco, and Dasdia, 545

E

Edelman, Jean C., Edelman, P. Michael, Knigge, Karl M., and Schwartz, Irving L. Isolation of skeletal muscle nuclei, 365
Edelman, P. Michael. See Edelman, Edelman, Knigge, and Schwartz, 365
Ellis, Richard A. Fine structure of the myoepithelium of the eccrine sweat glands of man, 551

F

Farber, Emmanuel. See Baglio and Farber, 591
Farquhar, Marilyn G. See Palade and Farquhar, 215
Feder, Ned, and Wolf, Merrill K. Studies on nucleic acid metachromasy. II. Metachromatic and orthochromatic staining by toluidine blue of nucleic acids in tissue sections, 327
Felig, Philip. See Schaffner and Felig, 505
Flickinger, Charles J. The fine structure of the nuclei of *Tetrahymena pyriformis* throughout the cell cycle, 519
Fristrom, J. W., and Mitchell, H. K. The preparative isolation of imaginal discs from larvae of *Drosophila melanogaster*, 445
Fuchs, Franklin. See Carlsen, Fuchs, and Knappeis, 25, 35

G

Gauthier, Geraldine F., and Padykula, Helen A. Cytochemical studies of adenosine triphosphatase activity in the sarcoplasmic reticulum, 252
Girbardt, Manfred. Lebendnachweis von Einzelelementen des endoplasmatischen Retikulums, 433
Glynn, Michael F. See Movat, Weiser, Glynn, and Mustard, 531
Green, Paul B. Pathways of cellular morphogenesis. A diversity in *Nitella*, 343

H

Hale, D. M. See Miller, Hale, and Alexander, 305

HARRIS, WARREN W. See BARBER, HARRIS, and PADILLA, 281
HERZOG, IVAN. See LEVY, HERZOG, SUZUKI, KATZMAN, and SCHEINBERG, 119
HOLLAND, JOHN J. See JOHNSON and HOLLAND, 565
HOLTZMAN, ERIC, and NOVIKOFF, ALEX B. Lysosomes in the rat sciatic nerve following crush, 651
HOTTA, YASUO, BASSEL, ALIX, and STERN, HERBERT. Nuclear DNA and cytoplasmic DNA from tissues of higher plants, 451

I

ITO, SUSUMU. The enteric surface coat on cat intestinal microvilli, 475

J

JOHNSON, FRED M. See ROUNDS, OLSON, and JOHNSON, 191
JOHNSON, TERRY C., and HOLLAND, JOHN J. Ribonucleic acid and protein synthesis in mitotic HeLa cells, 565

K

KATZMAN, ROBERT. See LEVY, HERZOG, SUZUKI, KATZMAN, and SCHEINBERG, 119
KLING, J. M. See SIMPSON, KLING, and NEAL, 225
KNAPPEIS, GUSTAV G. See CARLSEN, FUCHS, and KNAPPEIS, 25, 35
KNIGGE, KARL M. See EDELMAN, EDELMAN, KNIGGE, and SCHWARTZ, 365
KOLLER, THEODOR. Mounting of ultrathin sections with the aid of an electrostatic field, 441
KRUSE, PAUL F., JR., and MIEDEMA, ED. Production and characterization of multiple-layered populations of animal cells, 273

L

LAMM, MICHAEL E., CHILDERS, LILLIAN, and WOLF, MERRILL K. Studies on nucleic acid metachromasy. I. The effect of certain fixatives on the dye-stacking properties of nucleic acids in solution, 313
LANE, BERNARD P. Alterations in the cytologic detail of intestinal smooth muscle cells in various stages of contraction, 199
LANE, NANCY J., and NOVIKOFF, ALEX B. Effects of arginine deprivation, ultraviolet radiation, and x-radiation on cultured KB cells. A cytochemical and ultrastructural study, 603
LEENE, W., and VAN ITERSON, WOUTERA. Tetranitro-blue tetrazolium reduction in *Bacillus subtilis*, 237
— and —. Tetranitro-blue tetrazolium reduction in *Proteus vulgaris*, 241
LEVY, W. ARNOLDO, HERZOG, IVAN, SUZUKI, KUNIHIKO, KATZMAN, ROBERT, and SCHEINBERG, LABE. Method for combined ultrastructural and biochemical analysis of neural tissue, 119
LOEWENSTEIN, WERNER R. See WIENER, SPIRO, and LOEWENSTEIN, 107

M

MAJNO, GUIDO. See SUTER and MAJNO, 163
MARGRETH, ALFREDO. See MUSCATELLO, MARGRETH, and ALOISI, 1
MATSUMOTO, JIRO. Studies on fine structure and cytochemical properties of erythrophores in swordtail, *Xiphophorus helleri*, with special reference to their pigment granules (pterinosomes), 493
MATSUMOTO, SEIICHI. See MIYAMOTO and MATSUMOTO, 677
MATTERN, CARL F. T., PARK, HELEN D., and DANIEL, WENDELL A. Electron microscope observations on the structure and discharge of the stenotele of hydra, 621
MCCONNELL, DAVID G. The isolation of retinal outer segment fragments, 459
MIEDEMA, ED. See KRUSE and MIEDEMA, 273
MILLER, A. T., JR., HALE, D. M., and ALEXANDER, K. D. Histochemical studies on the uptake of horseradish peroxidase by rat kidney slices, 305
MITCHELL, H. K. See FRISTROM and MITCHELL, 445
MIYAMOTO, KANEATSU, and MATSUMOTO, SEIICHI. The nature of the Negri body, 677
MOSCONA, A. A. See PIDDINGTON and MOSCONA, 247
MOVAT, HENRY Z., WEISER, WILLIAM J., GLYNN, MICHAEL F., and MUSTARD, JAMES F. Platelet phagocytosis and aggregation, 531
MUSCATELLO, UMBERTO, MARGRETH, ALFREDO, and ALOISI, MASSIMO. On the differential response of sarcoplasm and myoplasm to denervation in frog muscle, 1
MUSTARD, JAMES F. See MOVAT, WEISER, GLYNN, and MUSTARD, 531

N

NASH, D., and PLAUT, W. On the presence of DNA in larval salivary gland nucleoli in *Drosophila melanogaster*, 682
NEAL, F. C. See SIMPSON, KLING, and NEAL, 225
NEWCOMB, ELDON H., and BONNETT, HOWARD T., JR. Cytoplasmic microtubule and wall microfibril orientation in root hairs of radish, 575
—. See BONNETT and NEWCOMB, 423
NOVIKOFF, ALEX B. See HOLTZMAN and NOVIKOFF, 651
—. See LANE and NOVIKOFF, 603

O

OLSON, ROBERT S. See ROUNDS, OLSON, and JOHNSON, 191
ORDAL, ERLING J. See PATE and ORDAL, 133

P

PACKER, LESTER. See BASSETT and PACKER, 448
PADILLA, GEORGE M. See BARBER, HARRIS, and PADILLA, 281

PADYKULA, HELEN A. See GAUTHIER and PADYKULA, 252
PALADE, GEORGE E., and FARQUHAR, MARILYN G. A special fibril of the dermis, 215
PARK, HELEN D. See MATTERN, PARK, and DANIEL, 621
PARK, RODERIC B. Substructure of chloroplast lamellae, 151
PATE, JACK L., and ORDAL, ERLING J. The fine structure of two unusual stalked bacteria, 133
PHILLIPS, DAVID M., and SWIFT, HEWSON. Cytoplasmic fine structure of *Sciara* salivary glands. I. Secretion, 395
PIDDINGTON, RONALD, and MOSCONA, A. A. Correspondence between glutamine synthetase activity and differentiation in the embryonic retina *in situ* and in culture, 247
PLAUT, W. See NASH and PLAUT, 682

R

REICH, E. See WIESNER, ACS, REICH, and SHAFIQ, 47
ROSS, RUSSELL, and BENDITT, EARL P. Wound healing and collagen formation. V. Quantitative electron microscope radioautographic observations of proline-H^3 utilization by fibroblasts, 83
ROUNDS, DONALD E., OLSON, ROBERT S., and JOHNSON, FRED M. The laser as a potential tool for cell research, 191
RUSCH, H. P. See CUMMINS, BREWER, and RUSCH, 337

S

SCHAFFNER, FENTON, and FELIG, PHILIP. Changes in hepatic structure in rats produced by breathing pure oxygen, 505
SCHEINBERG, LABE. See LEVY, HERZOG, SUZUKI, KATZMAN, and SCHEINBERG, 119
SCHERBAUM, OTTO H. See TOKUYASU and SCHERBAUM, 67
SCHRODT, G. RANDOLPH. See WALKER and SCHRODT, 671
SCHWARTZ, IRVING L. See EDELMAN, EDELMAN, KNIGGE, and SCHWARTZ, 365
SEDAR, ALBERT W., and BURDE, RONALD M. The demonstration of the succinic dehydrogenase system in *Bacillus subtilis* using tetranitro-blue tetrazolium combined with techniques of electron microscopy, 53
SHAFIQ, A. See WIESNER, ACS, REICH, and SHAFIQ, 47
SILVESTRINI, R. See DI MARCO, SILVESTRINI, DI MARCO, and DASDIA, 545
SIMPSON, CHARLES F., KLING, J. M., and NEAL, F. C. The nature of bands in parasitized bovine erythrocytes, 225
SMALLMAN, RONALD L. See BEIDLER and SMALLMAN, 263
SMITH, DAVID S. The organization of flight muscle in an aphid, *Megoura viciae* (Homoptera). With a discussion on the structure of synchronous and asynchronous striated muscle fibers, 379
SPIRO, DAVID. See WIENER, SPIRO, and LOEWENSTEIN, 107
STEPHENS, R. E. Anomalous contraction of invertebrate striated muscle, 639
STERN, HERBERT. See HOTTA, BASSEL, and STERN, 451
SUTER, ELSI R., and MAJNO, GUIDO. Passage of lipid across vascular endothelium in newborn rats. An electron microscopic study, 163
SUZUKI, KUNIHIKO. See LEVY, HERZOG, SUZUKI, KATZMAN, and SCHEINBERG, 119
SWIFT, HEWSON. See PHILLIPS and SWIFT, 395

T

TERZAKIS, JOHN A. The nucleolar channel system of human endometrium, 293
TOKUYASU, KIYOTERU, and SCHERBAUM, OTTO H. Ultrastructure of mucocysts and pellicle of *Tetrahymena pyriformis*, 67

V

VAN ITERSON, WOUTERA. See LEENE and VAN ITERSON, 237, 241
VAN'T HOF, JACK. Cell population kinetics of excised roots of *Pisum sativum*, 179

W

WALKER, SHEPPARD M., and SCHRODT, G. RANDOLPH. Continuity of the T system with the sarcolemma in rat skeletal muscle fibers, 671
WEISER, WILLIAM J. See MOVAT, WEISER, GLYNN, and MUSTARD, 531
WIENER, JOSEPH, SPIRO, DAVID, and LOEWENSTEIN, WERNER R. Ultrastructure and permeability of nuclear membranes, 107
WIESNER, R., ACS, G., REICH, E., and SHAFIQ, A. Degradation of ribonucleic acid in mouse fibroblasts treated with actinomycin, 47
WOLF, MERRILL K. See FEDER and WOLF, 327
—. See LAMM, CHILDERS, and WOLF, 313

INDEX TO SUBJECTS

A

A-band shortening, anomalous, during contraction of glycerinated myofibrils of invertebrate striated muscle, studied by UV microbeam inactivation and polarization microscopy, 639

Abstracts of Papers Presented at the Fifth Annual Meeting of The American Society for Cell Biology, 3A

Actidione, effect on protein and RNA synthesis and on mitosis, in slime mold *Physarum polycephalum*, biochemical study, 337

Actinomycin, degradation of RNA in mouse fibroblasts treated with, biochemical study, 47

Adenosine triphosphatase activity, in sarcoplasmic reticulum of muscle of gas bladder of toadfish *Opsanus tau*, light and EM cytochemical study, 252

Alga, *Nitella*, diversity in pathways of cellular morphogenesis in, kinetics of surface behavior in establishing form, studied in model systems and marking experiments using time-lapse photography, 343

Amphibian (*Xenopus*, *Triturus*) oocytes and insect (*Drosophila*, *Chironomus*) salivary gland cells, comparison of fine structures of nuclear envelopes having different permeability properties, EM study, 107

Amphibians (frog, toad, salamander), new type of extracellular fibril in dermis of skin, structure and relations and distribution, EM study, 215

Anaplasmosis, hemolytic disease of cattle, nature of bands projecting from organismal marginal inclusion in bovine erythrocytes parasitized with *Anaplasma marginale*, EM study, 225

Arginine deprivation and UV radiation and X-radiation, effects of on cultured KB cells (from human oral carcinoma), EM cytochemical study, 603

B

Bacteria, *Asticcacaulis excentricus* and strain C-19, unusual pseudostalk appendages on, fine structure of, 133

Bacterium, *Bacillus subtilis*, demonstration of succinic dehydrogenase system by tetranitro-blue tetrazolium, EM cytochemical study, 53

—, *Bacillus subtilis*, tetranitro-blue tetrazolium reduction in, determination of sites of respiratory enzymes, EM cytochemical study, 237

—, *Proteus vulgaris*, tetranitro-blue tetrazolium reduction in, determination of sites of respiratory enzymes, EM cytochemical study, 241

Blood, human, phagocytosis and aggregation of platelets of, biochemical and EM study, 531

Bovine, erythrocytes, parasitized with *Anaplasma marginale*, nature of bands projecting from organismal marginal inclusion, EM study, 225

—, retinal outer segment fragments, isolation and analysis of, biochemical and EM study, 459

C

Cat, intestine, surface coat on microvilli of mucosa of, light and EM cytochemical study, 475

Cell cycle, in *Tetrahymena pyriformis*, fine structure of nuclei throughout, EM study, 519

— population kinetics, of meristem of excised cultured roots of *Pisum sativum*, influence of excision and sucrose concentration, measurement of duration of mitotic cycle and mitosis and interphase periods, studied with thymidine-H^3 and colchicine, 179

— surface behavior, kinetics of in establishing form, diversity in pathways of morphogenesis in alga *Nitella*, studied in model systems and marking experiments using time-lapse photography, 343

Cells, animal, cultured in perfusion system, production and characterization of multiple-layered populations of, analysis of proliferation and nutrition and metabolism of, biochemical and microscope study, 273

—, cultured KB (from human oral carcinoma), effects of arginine deprivation and UV radiation and x-radiation on, EM cytochemical study, 603

—, HeLa, inhibiting effect of antibiotic Daunomycin on nucleic acids and mitotic activity of, radioautographic study, 545

—, HeLa, synthesis of RNA and protein in mitotic cells, biochemical study, 565

—, liver, of rat, changes in structure produced by breathing pure oxygen, EM study, 505

—, liver, of rat, reversal by adenine of ethionine-induced lipid accumulation in ER, EM study, 591

—, myoepithelial, in eccrine sweat glands, of human, structure of, EM study, 551

—, root, of radish plant, polyribosomes and cisternal

accumulation in, studied by phase contrast and EM, 423
Cells, smooth muscle, of mouse jejunum, alterations in cytologic detail of in various stages of contraction, EM study, 199
— (strain Dede), of hamster, female diploid, *in vitro*, fine structure of nucleolus during mitotic divisions, EM study, 411
— (*Tetrahymena*), synchronized by repetitive temperature cycle, content and morphology of native glycogen of during growth and division, biochemical and EM study, 281
Cellular morphogenesis, diversity in pathways of, in alga *Nitella*, kinetics of surface behavior in establishing form, studied in model systems and marking experiments using time-lapse photography, 343
Chick, embryo, correspondence between glutamine synthetase activity and morphological differentiation in retina *in situ* and in culture, light microscope histochemical study, 247
Chloroplast, in plants *Spinacia* and *Pharbitis*, substructural organization of lamellae of, biochemical and EM study, 151
Chylomicron, as tracer particle, passage of lipid across vascular endothelium, in newborn rat, EM study, 163
Collagen formation and wound healing, in guinea pig, uptake and intracellular transport and secretion of protein by fibroblasts, quantitative EM radioautographic study of proline-H^3 utilization, 83
Contractility, in glycerol-extracted striated psoas muscle fibers, of rabbit, relationship of to sarcomere length, EM study, 25
—, in glycerol-extracted striated psoas muscle fibers, of rabbit, ultrastructure during resting and shortening, EM study, 35
Contraction of smooth muscle, in mouse jejunum, alterations of cytologic detail in various stages of, EM study, 199
Culture, cellular, perfusion system of, production and characterization of multiple-layered populations of animal cells, analysis of cell proliferation and nutrition and metabolism, biochemical and microscope study, 273

D

Daunomycin, inhibiting effect of on nucleic acids and mitotic activity of HeLa cells, radioautographic study, 565
Dermis, in skin of amphibians (frog, toad, salamander), new type of extracellular fibril in, structure and relations and distribution, EM study, 215
Discs, imaginal, preparative isolation of, from larvae of *Drosophila melanogaster*, biochemical method without dissection, 445
DNA, nuclear and cytoplasmic, analysis of in higher plants (wheat), biochemical study, 451
—, presence of, in nucleoli of salivary gland cells, of larval *Drosophila*, studied by fluorescence microscopy and radioautography, 682
Dye-stacking properties of nucleic acids in solution, effect of certain fixatives on, quantitative analysis of dye-polymer relationships, nucleic acid metachromasy, spectrophotometric study, 313

E

Electron microscopy, use of electrostatic field for mounting ultrathin sections of unembedded tissues onto grids for, 441
Electrostatic field, use of in mounting ultrathin sections of unembedded tissues onto grids for EM, 441
Embryonic chick, correspondence between glutamine synthetase activity and morphological differentiation in retina *in situ* and in culture, light microscope histochemical study, 247
Endometrium, of human uterus, nucleolus and nucleolar channel system in secretory cells of, EM study, 293
Endoplasmic reticulum, accumulations within, and polyribosomes, in root cells of radish plant, studied by phase contrast and EM, 423
— reticulum, in fungus *Polystictus versicolor*, comparison of aggregates of membrane systems and single cisternae in the living state (by phase-contrast microscopy) and in thin sections (by electron microscopy), 433
— reticulum, of rat liver cells, ethionine-induced lipid accumulation in, reversal of by adenine, EM study, 591
Endothelium, vascular, in newborn rat, passage of lipid across, studied with chylomicron tracer particles and EM, 163
Enzyme, ATPase activity, in sarcoplasmic reticulum of muscle of gas bladder of toadfish *Opsanus tau*, light and EM cytochemical study, 252
—, glutamine synthetase activity, in embryonic chick retina, correspondence with morphological differentiation, *in situ* and in culture, light microscope histochemical study, 247
Enzymes, of respiratory chain, determination of sites of by tetranitro-blue tetrazolium reduction, in *Bacillus subtilis*, EM cytochemical study, 237
—, of respiratory chain, determination of sites of by tetranitro-blue tetrazolium reduction, in *Proteus vulgaris*, EM cytochemical study, 241
—, succinic dehydrogenase system, demonstration of by tetranitro-blue tetrazolium, in *Bacillus subtilis*, EM cytochemical study, 53
Epithelial cells, renewal of, within taste buds of rat tongue, studied by techniques of colchicine inhibition of mitosis and electrophysiology and radioautography, 263

Erythrocytes, bovine, parasitized with *Anaplasma marginale*, nature of bands projecting from organismal marginal inclusion, EM study, 225
— and hemoglobin, of human, selective alteration of specific molecular components by irradiation with laser beam, demonstration of laser as potential tool for cell research, studied with spectrophotometry and light and interference microscopy, 191
Erythrophores, in skin of swordtail fish *Xiphophorus helleri*, fine structure and chemical properties of, with special reference to pigment granules (pterinosomes), studied by cytochemistry, paper chromatography, ionophoresis, fractionation, and EM, 493
Eye, bovine, isolation and analysis of retinal outer segment fragments of, biochemical and EM study, 459

F

Fibers, striated muscle, in aphid *Megoura viciae*, organization of flight muscle, with discussion on structure of synchronous and asynchronous fibers, EM study, 379
—, striated psoas muscle, glycerol-extracted, of rabbit, relationship of contractility to sarcomere length in, EM study, 25
—, striated psoas muscle, glycerol-extracted, of rabbit, ultrastructure during resting and shortening, EM study, 35
Fibril, extracellular, new type, in dermis of skin of amphibians (frog, toad, salamander), structure and relations and distribution, EM study, 215
Fibroblasts, of mouse, degradation of RNA after treatment with actinomycin, biochemical study, 47
—, uptake and intracellular transport and secretion of protein by, wound healing and collagen formation, in guinea pig, quantitative EM radioautographic study of proline-H^3 utilization, 83
Fish, *Opsanus tau*, ATPase activity in sarcoplasmic reticulum of muscle of gas bladder, light and EM cytochemical study, 252
—, swordtail *Xiphophorus helleri*, fine structure and chemical properties of erythrophores in skin of, with special reference to pigment granules (pterinosomes), studied by cytochemistry, paper chromatography, ionophoresis, fractionation, and EM, 493
Fixation by glutaraldehyde perfusion, method for combined ultrastructural and biochemical analysis of neural tissue, in normal and tumor-bearing brains (cerebrum) of mammals (mouse, rat, rabbit), 119
Frog, *Rana esculenta*, striated semitendinosus muscle, differential response of sarcoplasm and myoplasm to denervation, biochemical and EM study, 1
Fungus, *Polystictus versicolor*, comparison of aggregates of membrane systems and single cisternae (ER) in the living state (by phase-contrast microscopy) and in thin sections (by electron microscopy), 433
Fungus, slime mold *Physarum polycephalum*, effect of actidione on protein and RNA synthesis and on mitosis in, biochemical study, 337

G

Glutamine synthetase activity, in embryonic chick retina, correspondence with morphological differentiation, *in situ* and in culture, light microscope histochemical study, 247
Glutaraldehyde perfusion method of fixation, for combined ultrastructural and biochemical analysis of neural tissue, in normal and tumor-bearing brains (cerebrum) of mammals (mouse, rat, rabbit), 119
Glycogen, native, isolated from *Tetrahymena pyriformis*, content and morphology of during growth and division of cells synchronized by repetitive temperature cycle, biochemical and EM study, 281
Granules, secretion, synthesis of, and cellular changes, in salivary gland cells of insect *Sciara coprophila* during larval development, histochemical and EM study, 395
Guinea pig, wound healing and collagen formation, uptake and intracellular transport and secretion of protein by fibroblasts, quantitative EM radioautographic study of proline-H^3 utilization, 83

H

Hamster cells (strain Dede), female diploid, *in vitro*, fine structure of nucleolus during mitotic divisions, EM study, 411
HeLa cells, inhibiting effect of antibiotic Daunomycin on nucleic acids and mitotic activity of, radioautographic study, 545
— cells, synthesis of RNA and protein in mitotic cells, biochemical study, 565
Hemoglobin and erythrocytes, of human, selective alteration of specific molecular components by irradiation with laser beam, demonstration of laser as potential tool for cell research, studied with spectrophotometry and light and interference microscopy, 191
Human, eccrine sweat glands, fine structure of myoepithelium of, EM study, 551
—, hemoglobin and erythrocytes, selective alteration of specific molecular components by irradiation with laser beam, demonstration of laser as potential tool for cell research, studied with spectrophotometry and light and interference microscopy, 191
—, platelets, phagocytosis and aggregation of, biochemical and EM study, 531
—, uterine endometrium, nucleolus and nucleolar channel system in secretory cells of, EM study, 293

Hydra, *Chlorohydra hadleyi*, structure and discharge of stenotele type of nematocyst in, EM study, 621

I

Imaginal discs, preparative isolation of, from larvae of *Drosophilia melanogaster*, biochemical method without dissection, 445
Insect, aphid *Megoura viciae*, organization of flight muscle in, with discussion on structure of synchronous and asynchronous striated muscle fibers, EM study, 379
—, (*Drosophila*, *Chironomus*) salivary gland cells and amphibian (*Xenopus*, *Triturus*) oocytes, comparison of fine structures of nuclear envelopes having different permeability properties, EM study, 107
—, *Drosophila melanogaster*, preparative isolation of imaginal discs from larvae of, biochemical method without dissection, 445
—, *Drosophila melanogaster*, presence of DNA in nucleoli of larval salivary gland cells, studied by fluorescence microscopy and radioautography, 682
—, *Sciara coprophila*, cytoplasmic fine structure of salivary gland cells of, cellular changes and patterns of secretion granule synthesis during larval development, histochemical and EM study, 395
Intestinal mucosa, in cat, surface coat on microvilli of, light and EM cytochemical study, 475
Intestine (jejunum), of mouse, alterations in cytologic detail of smooth muscle cells in various stages of contraction, EM study, 199

K

KB cells (from human oral carcinoma), cultured, effects of arginine deprivation and UV radiation and x-radiation on, EM cytochemical study, 603
Kidney, of rat, uptake of horseradish peroxidase by tubule cells of, in organ slices incubated in media containing test protein, metabolic requirements for intracellular transport (pinocytosis), histochemical study, 305

L

Lamellae, of chloroplasts, in plants *Spinacia* and *Pharbitis*, substructural organization of, biochemical and EM study, 151
Laser irradiation, demonstration of as potential tool for cell research, selective alteration of specific molecular components by laser beam, in human hemoglobin and erythrocytes, studied with spectrophotometry and light and interference microscopy, 191
Lipid accumulation in ER of rat liver cells, ethionine-induced, reversal of by adenine, EM study, 591
—, passage of across vascular endothelium, in newborn rat, studied with chylomicron tracer particles and EM, 163
Liver, of rat, changes in structure of parenchymal cells produced by breathing pure oxygen, EM study, 505
—, of rat, response of isolated lysosomes to vitamin A alcohol, studied by observation of changes in light-scattering and acid phosphatase activity, 448
—, of rat, reversal by adenine of ethionine-induced lipid accumulation in ER of parenchymal cells of, EM study, 591
Lysosomes, in axoplasm and Schwann cells of rat sciatic nerve following nerve crush, EM cytochemical study, 651
—, isolated, from rat liver, responses of to vitamin A alcohol, studied by observation of changes in light-scattering and acid phosphatase activity, 448

M

Mammals (mouse, rat, rabbit), normal and tumor-bearing brains (cerebrum) of, glutaraldehyde perfusion method of fixation for combined ultrastructural and biochemical analysis of neural tissue, 119
Membrane system, of chloroplast lamellae, in plants *Spinacia* and *Pharbitis*, substructural organization of, biochemical and EM study, 151
— systems, aggregates of, and single cisternae (ER), in fungus *Polystictus versicolor*, comparison of in living state (by phase-contrast microscopy) and in thin sections (by electron microscopy), 433
Membranes, nuclear, with different permeability properties, comparison of fine structures of, in insect (*Drosophila*, *Chironomus*) salivary gland cells and amphibian (*Xenopus*, *Triturus*) oocytes, EM study, 107
Metachromasy, of nucleic acids, effect of certain fixatives on dye-stacking properties of nucleic acids in solution, quantitative analysis of dye-polymer relationships, spectrophotometric study, 313
—, of nucleic acids, metachromatic and orthochromatic staining by toluidine blue of nucleic acids in tissue sections, relative contributions of fixative and embedding methods to color contrast, microscope study, 327
Microfibril, wall, and cytoplasmic microtubule, orientation of in root hairs of radish plant, EM study, 575
Microtubule, cytoplasmic, and wall microfibril, orientation of in root hairs of radish plant, EM study, 575
Microvilli, surface coat on, of cat intestinal mucosa, light and EM cytochemical study, 475
Mitosis, in slime mold *Physarum polycephalum*, effect of actidione on protein and RNA synthesis and on, biochemical study, 337
Mitotic activity and nucleic acids, of HeLa cells,

inhibiting effect of antibiotic Daunomycin on, radioautographic study, 545
Mitotic cycle and mitosis and interphase periods, measurement of duration of in excised cultured roots of *Pisum sativum*, influence of excision and sucrose concentration, cell population kinetics, studied with thymidine-H^3 and colchicine, 179
— divisions, in female diploid hamster cells (strain Dede), *in vitro*, fine structure of nucleolus during, EM study, 411
Mouse, fibroblasts, degradation of RNA after treatment with actinomycin, biochemical study, 47
—, jejunum, alterations in cytologic detail of smooth muscle cells in various stages of contraction, EM study, 199
—, young, nature of Negri body in neurons of hippocampus infected with street rabies virus, EM study, 677
Mucocysts and pellicle, in *Tetrahymena pyriformis*, ultrastructure of, EM study, 67
Mucosa, intestinal, surface coat on microvilli of, in cat, light and EM cytochemical study, 475
Muscle, flight, in aphid *Megoura viciae*, organization of, with discussion on structure of synchronous and asynchronous striated muscle fibers, EM study, 379
—, skeletal, of rat, isolation of nuclei by method employing aqueous media, nuclear purity and integrity studied by phase contrast and EM and by chemical and enzyme assays, 365
—, smooth, of mouse jejunum, alterations in cytologic detail of cells of in various stages of contraction, EM study, 199
—, striated, of gas bladder of toadfish *Opsanus tau*, ATPase activity in sarcoplasmic reticulum of, light and EM cytochemical study, 252
—, striated, of invertebrates, anomalous A-band shortening during contraction of glycerinated myofibrils, studied by UV microbeam inactivation and polarization microscopy, 639
—, striated, of rat, continuity of T system with sarcolemma in fibers of, EM study, 671
—, striated psoas, of rabbit, relationship of contractility to sarcomere length in glycerol-extracted fibers, EM study, 25
—, striated psoas, of rabbit, ultrastructure in glycerol-extracted resting and shortened fibers, EM study, 35
—, striated semitendinosus, of frog, differential response of sarcoplasm and myoplasm to denervation, biochemical and EM study, 1
Myoepithelium, of eccrine sweat glands, in human, structure of, EM study, 551
Myofibrils, glycerinated, of invertebrate striated muscle, anomalous A-band shortening during contraction of, studied by UV microbeam inactivation and polarization microscopy, 639
Myoplasm and sarcoplasm, differential response of to denervation, in striated semitendinosus muscle of frog, biochemical and EM study, 1

N

Negri body, nature of, in neurons of hippocampus of young mouse infected with street rabies virus, EM study, 677
Nematocyst, stenotele type, of hydra *Chlorohydra hadleyi*, structure and discharge of, EM study, 621
Nerve, sciatic, of rat, lysosomes in axoplasm and Schwann cells following nerve crush, EM cytochemical study, 651
Neural tissue, glutaraldehyde perfusion method of fixation for combined ultrastructural and biochemical analysis of, in normal and tumor-bearing brains (cerebrum) of mammals (mouse, rat, rabbit), 119
Neurons, hippocampal, of young mouse infected with street rabies virus, nature of Negri body, EM study, 677
Nuclear envelopes with different permeability properties, comparison of fine structures of, in insect (*Drosophila*, *Chironomus*) salivary gland cells and amphibian (*Xenopus*, *Triturus*) oocytes, EM study, 107
Nuclei, of rat skeletal muscle, isolation of by method employing aqueous media, nuclear purity and integrity studied by phase contrast and EM and by chemical and enzyme assays, 365
—, of *Tetrahymena pyriformis*, fine structure of throughout cell cycle, EM study, 519
Nucleic acid metachromasy, effect of certain fixatives on dye-stacking properties of nucleic acids in solution, quantitative analysis of dye-polymer relationships, spectrophotometric study, 313
— acid metachromasy, metachromatic and orthochromatic staining by toluidine blue of nucleic acids in tissue sections, relative contributions of fixative and embedding methods to color contrast, microscope study, 327
— acids and mitotic activity, of HeLa cells, inhibiting effect of antibiotic Daunomycin on, radioautographic study, 545
Nucleolar channel system and nucleolus, in secretory cells of endometrium of human uterus, EM study, 293
Nucleoli, presence of DNA in, of salivary gland cells, of larval *Drosophila*, studied by fluorescence microscopy and radioautography, 682
Nucleolus, fine structure of during mitotic divisions, in female diploid hamster cells (strain Dede), *in vitro*, EM study, 411

O

Oxygen, toxic effects of on a metabolically sensitive

organ, changes in structure of rat liver cells produced by, EM study, 505

P

Pellicle and mucocysts, in *Tetrahymena pyriformis*, ultrastructure of, EM study, 67

Perfusion system of tissue culture, production and characterization of multiple-layered populations of animal cells, analysis of cellular proliferation and nutrition and metabolism, biochemical and microscope study, 273

Peroxidase (horseradish) uptake by tubule cells of rat kidney, in organ slices incubated in media containing test protein, metabolic requirements for intracellular transport (pinocytosis), histochemical study, 305

Phagocytosis and aggregation, of human platelets, biochemical and EM study, 531

Pigment granules (pterinosomes), in skin erythrophores of swordtail fish *Xiphophorus helleri*, fine structure and chemical properties, studied by cytochemistry, paper chromatography, ionophoresis, fractionation, and EM, 493

Plant, *Pisum sativum*, cell population kinetics of meristem of excised cultured roots, influence of excision and sucrose concentration, measurement of duration of mitotic cycle and mitosis and interphase periods, studied with thymidine-H^3 and colchicine, 179

—, radish *Raphanus sativus*, cytoplasmic microtubule and wall microfibril orientation in root hairs of, EM study, 575

—, radish *Raphanus sativus*, polyribosomes and cisternal accumulations in root cells of, studied by phase contrast and EM, 423

—, wheat, analysis of nuclear and cytoplasmic DNA in roots of higher plants, biochemical study, 451

Plants, *Spinacia oleracea* and *Pharbitis nil*, substructural organization of chloroplast lamellae in, biochemical and EM study, 151

Plasmalemma, of intestinal absorptive cells, in cat, surface coat on microvilli, light and EM cytochemical study, 475

Platelets, of human, phagocytosis and aggregation of, biochemical and EM study, 531

Polyribosomes, and cisternal accumulations, in root cells of radish plant, studied by phase contrast and EM, 423

Pores, of nuclear envelopes with different permeability properties, comparison of fine structures of, in insect (*Drosophila*, *Chironomus*) salivary gland cells and amphibian (*Xenopus*, *Triturus*) oocytes, EM study, 107

Protein (horseradish peroxidase) uptake by tubule cells of rat kidney, metabolic requirements for intracellular transport (pinocytosis), in organ slices incubated in media containing test protein, histochemical study, 305

Protein and RNA synthesis, in slime mold *Physarum polycephalum*, effect of actidione on mitosis and on, biochemical study, 337

— and RNA, synthesis of in mitotic HeLa cells, biochemical study, 565

—, uptake and intracellular transport and secretion of, by fibroblasts, wound healing and collagen formation, in guinea pig, quantitative EM radioautographic study of proline-H^3 utilization, 83

Protozoan (or rickettsia?), *Anaplasma marginale*, parasitizing bovine erythrocytes, nature of bands projecting from organismal marginal inclusion, EM study, 225

—, *Tetrahymena pyriformis*, content and morphology of native glycogen isolated during growth and division of cells synchronized by repetitive temperature cycle, biochemical and EM study, 281

—, *Tetrahymena pyriformis*, fine structure of nuclei throughout cell cycle, EM study, 519

—, *Tetrahymena pyriformis*, ultrastructure of mucocysts and pellicle of, EM study, 67

Pseudostalks, unusual appendages on bacteria *Asticcacaulis excentricus* and strain C-19, fine structure of, 133

Q

Quantitative analysis of cell surface behavior, kinetics in establishing form, diversity in pathways of morphogenesis in alga *Nitella*, studied in model systems and marking experiments using time-lapse photography, 343

R

Rabbit, striated psoas muscle, relationship of contractility to sarcomere length in glycerol-extracted fibers, EM study, 25

—, striated psoas muscle, ultrastructure in glycerol-extracted resting and shortened fibers, EM study, 35

Radioactive label, glucose-C^{14}, incorporation into glycogen in different phases of cell cycle, of *Tetrahymena pyriformis*, biochemical and EM study of native glycogen isolated from cells synchronized by repetitive temperature cycle, 281

— label, P^{32}-inorganic phosphate, analysis of nuclear and cytoplasmic DNA, in roots of higher plants (wheat), biochemical study, 451

— label, proline-H^3, uptake and intracellular transport and secretion of protein by fibroblasts, wound healing and collagen formation, in guinea pig, quantitative EM radioautographic study of isotope utilization, 83

— label, thymidine-H^3, cell population kinetics of excised cultured roots of *Pisum sativum*, influence of excision and sucrose concentration, measurement

of duration of mitotic cycle and mitosis and interphase periods, 179
Radioactive label, thymidine-H^3, presence of DNA in nucleoli of salivary gland cells, of larval *Drosophila*, studied by fluorescence microscopy and radioautography, 682
— label, thymidine-H^3, study of renewal of epithelial cells within taste buds of rat tongue, by techniques of colchicine inhibition of mitosis and electrophysiology and radioautography, 263
— label, valine-C^{14}, incorporation into proteins of striated semitendinosus muscle of frog, differential response of sarcoplasm and myoplasm to denervation, biochemical and EM study, 1
— labels, $S^{35}O_4$, Na^{24}, K^{42}, glutaraldehyde perfusion method of fixation for combined ultrastructural and biochemical analysis of neural tissue, in normal and tumor-bearing brains (cerebrum) of mammals (mouse, rat, rabbit), 119
— labels, thymidine-H^3, guanosine-H^3, leucine-C^{14}, algae hydrolysate-C^{14}, biochemical study of degradation of RNA in mouse fibroblasts treated with actinomycin, 47
— labels, thymidine-H^3 and uridine-H^3, incorporation into HeLa cells, inhibiting effect of antibiotic Daunomycin on nucleic acids and mitotic activity, radioautographic study, 545
— labels, uridine-H^3, hypoxanthine-H^3, lysine-C^{14}, leucine-C^{14}, methionine-S^{35}, biochemical study of effect of actidione on protein and RNA synthesis and on mitosis, in slime mold *Physarum polycephalum*, 337
— labels, UTP^{32}, valine-C^{14}, arginine-C^{14}, lysine-C^{14}, phenylalanine-C^{14}, algal protein hydrolysate-C^{14}, biochemical study of synthesis of RNA and protein in mitotic HeLa cells, 565
Rat, kidney, uptake of horseradish peroxidase by tubule cells of, in organ slices incubated in media containing test protein, metabolic requirements for intracellular transport (pinocytosis), histochemical study, 305
—, liver, changes in structure of parenchymal cells produced by breathing pure oxygen, EM study, 505
—, liver, response of isolated lysosomes to vitamin A alcohol, studied by observation of changes in light-scattering and acid phosphatase activity, 448
—, liver, reversal by adenine of ethionine-induced lipid accumulation in ER of parenchymal cells, EM study, 591
—, newborn, passage of lipid across vascular endothelium, studied with chylomicron tracer particles and EM, 163
—, sciatic nerve, lysosomes in axoplasm and Schwann cells following nerve crush, EM cytochemical study, 651
Rat, skeletal muscle, continuity of T system with sarcolemma in fibers of, EM study, 671
—, skeletal muscle, isolation of nuclei by method employing aqueous media, nuclear purity and integrity studied by phase contrast and EM and by chemical and enzyme assays, 365
—, tongue, renewal of epithelial cells within taste buds of, studied by techniques of colchicine inhibition of mitosis and electrophysiology and radioautography, 263
Receptors, visual, bovine, isolation and analysis of retinal outer segment fragments of, biochemical and EM study, 459
Respiratory enzymes, determination of sites of by tetranitro-blue tetrazolium reduction, in *Bacillus subtilis*, EM cytochemical study, 237
— enzymes, determination of sites of by tetranitro-blue tetrazolium reduction, in *Proteus vulgaris*, EM cytochemical study, 241
Retina, of embryonic chick, correspondence between glutamine synthetase activity and morphological differentiation of, *in situ* and in culture, light microscope histochemical study, 247
Retinal outer segment fragments, bovine, isolation and analysis of, biochemical and EM study, 459
RNA, degradation of in mouse fibroblasts treated with actinomycin, biochemical study, 47
— and protein, synthesis of in mitotic HeLa cells, biochemical study, 565
Root cells, of radish plant, polyribosomes and cisternal accumulations in, studied by phase contrast and EM, 423
— hairs, of radish plant, cytoplasmic microtubule and wall microfibril orientation in, EM study, 575
Roots, cultured and excised, of *Pisum sativum*, cell population kinetics of meristem, influence of excision and sucrose concentration, measurement of duration of mitotic cycle and mitosis and interphase periods, studied with thymidine-H^3 and colchicine, 179
—, of higher plants (wheat), analysis of nuclear and cytoplasmic DNA in, biochemical study, 451

S

Salivary gland cells, of larval *Drosophila*, presence of DNA in nucleoli of, studied by fluorescence microscopy and radioautography, 682
— gland, of insect *Sciara coprophila*, cytoplasmic fine structure of cells of, cellular changes and patterns of secretion granule synthesis during larval development, histochemical and EM study, 395
Sarcolemma, continuity of with T system, in fibers of rat skeletal muscle, EM study, 671
Sarcomere length, relationship of contractility to, in glycerol-extracted striated psoas muscle fibers, of rabbit, EM study, 25
Sarcoplasm and myoplasm, differential response of

to denervation, in striated semitendinosus muscle of frog, biochemical and EM study, 1
Sarcoplasmic reticulum, ATPase activity in, of muscle of gas bladder of toadfish *Opsanus tau*, light and EM cytochemical study, 252
Secretion granule synthesis, patterns of, and cellular changes in salivary gland cells of insect *Sciara coprophila* during larval development, histochemical and EM study, 395
Sections, ultrathin, of unembedded tissues, use of electrostatic field as aid in mounting onto grids for EM, 441
Skin, of amphibians (frog, toad, salamander), new type of extracellular fibril in dermis of, structure and relations and distribution, EM study, 215
—, of swordtail fish *Xiphophorus helleri*, fine structure and chemical properties of erythrophores in, with special reference to pigment granules (pterinosomes), studied by cytochemistry, paper chromatography, ionophoresis, fractionation, and EM, 493
Staining, nucleic acid metachromasy, effect of certain fixatives on dye-stacking properties of nucleic acids in solution, quantitative analysis of dye-polymer relationships, spectrophotometric study, 313
—, nucleic acid metachromasy, metachromatic and orthochromatic staining by toluidine blue of nucleic acids in tissue sections, relative contributions of fixative and embedding methods to color contrast, microscope study, 327
Stalked bacteria, *Asticcacaulis excentricus* and C-19, unusual pseudostalk appendages on, fine structure of, 133
Stenotele type of nematocyst, of hydra *Chlorohydra hadleyi*, structure and discharge of, EM study, 621
Succinic dehydrogenase system, in *Bacillus subtilis*, demonstration of by tetranitro-blue tetrazolium, EM cytochemical study, 53
Sweat glands, eccrine, of human, fine structure of myoepithelium of, EM study, 551

T

Taste buds, in rat tongue, renewal of epithelial cells within, studied by techniques of colchicine inhibition of mitosis and electrophysiology and radioautography, 263
Tetrazolium (tetranitro-blue), demonstration of succinic dehydrogenase system in *Bacillus subtilis*, EM cytochemical study, 53
— (tetranitro-blue) reduction in *Bacillus subtilis*, determination of sites of respiratory enzymes, EM cytochemical study, 237
— (tetranitro-blue) reduction in *Proteus vulgaris*, determination of sites of respiratory enzymes, EM cytochemical study, 241
Tissue culture, perfusion system of, production and characterization of multiple-layered populations of animal cells, analysis of cellular proliferation and nutrition and metabolism, biochemical and microscope study, 273
Toluidine blue, metachromatic and orthochromatic staining of nucleic acids in tissue sections by, nucleic acid metachromasy, relative contributions of fixative and embedding methods to color contrast, microscope study, 327
Tongue, of rat, renewal of epithelial cells within taste buds of, studied by techniques of colchicine inhibition of mitosis and electrophysiology and radioautography, 263
Transport, intracellular (pinocytosis), metabolic requirements for, uptake of horseradish peroxidase by tubule cells of rat kidney, in organ slices incubated in media containing test protein, histochemical study, 305
T system, continuity of with sarcolemma, in fibers of rat skeletal muscle, EM study, 671

U

Uterus, of human, nucleolus and nucleolar channel system in endometrial secretory cells of, EM study, 293
UV microbeam inactivation, use of in conjunction with polarization microscopy, for study of anomalous A-band shortening during contraction of glycerinated myofibrils of invertebrate striated muscle, 639
— radiation and x-radiation and arginine deprivation, effects of on cultured KB cells (from human oral carcinoma), EM cytochemical study, 603

V

Vascular endothelium, passage of lipid across, in newborn rat, studied with chylomicron tracer particles and EM, 163
Virus, street rabies, nature of Negri body in neurons of hippocampus infected with, in young mouse, EM study, 677
Vitamin A, response of isolated rat liver lysosomes to, studied by observation of changes in light-scattering and acid phosphatase activity, 448

W

Wound healing and collagen formation, in guinea pig, uptake and intracellular transport and secretion of protein by fibroblasts, quantitative EM radioautographic study of proline-H^3 utilization, 83

X

X-radiation and UV radiation and arginine deprivation, effects of on cultured KB cells (from human oral carcinoma), EM cytochemical study, 603